


Service Manual

Air Conditioner

Indoor Unit
CS-ME5PKE

Destination
Europe



Please file and use this manual together with the service manual for Model No. CS-E7PKEW CS-E9PKEW CS-E12PKEW CS-E15PKEW CS-E18PKEW CS-E21PKEW CS-E24PKEW, Order No. PAPAMY1212045CE and Model No. CS-E7QKEW CS-E9QKEW CS-E12QKEW CS-E15QKEW CS-E18QKEW CS-E21QKEW CS-E24QKEW, Order No. PAPAMY1312010CE and Model No. CU-2E15PBE CU-2E18PBE CU-3E18PBE CU-4E23PBE, Order No. PAPAMY1301048CE and Model No. CU-4E27PBE CU-5E34PBE, Order No. PAPAMY1303046CE.

WARNING

This service information is designed for experienced repair technicians only and is not designed for use by the general public. It does not contain warnings or cautions to advise non-technical individuals of potential dangers in attempting to service a product. Products powered by electricity should be serviced or repaired only by experienced professional technicians. Any attempt to service or repair the products dealt with in this service information by anyone else could result in serious injury or death.

IMPORTANT SAFETY NOTICE

There are special components used in this equipment which are important for safety. These parts are marked by  in the Schematic Diagrams, Circuit Board Diagrams, Exploded Views and Replacement Parts List. It is essential that these critical parts should be replaced with manufacturer's specified parts to prevent shock, fire or other hazards. Do not modify the original design without permission of manufacturer.



PRECAUTION OF LOW TEMPERATURE

In order to avoid frostbite, be assured of no refrigerant leakage during the installation or repairing of refrigerant circuit.

2. Specifications

Model				Indoor		CS-ME5PKE					
Performance Test Condition						EUROVENT					
Power Supply				Phase, Hz		Single, 50					
				V		230					
						Min.		Mid.		Max.	
Cooling	Capacity			kW		1.30		1.60		2.30	
				BTU/h		4430		5460		7840	
	Running Current			A		—		2.00		—	
	Input Power			W		250		400		640	
	Annual Consumption			kWh		—		200		—	
	EER			W/W		3.59		4.00		5.20	
	Indoor Noise (H / L / QLo)			dB-A		39 / 29 / 23					
				Power Level dB		55 / —					
Heating	Capacity			kW		1.20		2.60		3.20	
				BTU/h		4090		8870		10900	
	Running Current			A		—		3.00		—	
	Input Power			W		300		600		960	
	COP			W/W		4.00		4.33		3.33	
	Indoor Noise (H / L / QLo)			dB-A		39 / 29 / —					
				Power Level dB		55 / —					
	Indoor Fan	Type					Cross-Flow Fan				
Material					ASG33						
Motor Type					DC / Transistor (8-poles)						
Input Power			W		44.9						
Output Power			W		40						
Speed		QLo	Cool	rpm		630					
			Heat	rpm		690					
		Lo	Cool	rpm		750					
			Heat	rpm		750					
		Me	Cool	rpm		840					
			Heat	rpm		890					
		Hi	Cool	rpm		920					
			Heat	rpm		1020					
		SHi	Cool	rpm		1020					
			Heat	rpm		1120					
Moisture Removal				L/h (Pt/h)		1.0 (2.1)					
Indoor Airflow	QLo	Cool	m ³ /min (ft ³ /min)		7.5 (265)						
		Heat	m ³ /min (ft ³ /min)		8.1 (286)						
	Lo	Cool	m ³ /min (ft ³ /min)		9.1 (321)						
		Heat	m ³ /min (ft ³ /min)		8.9 (314)						
	Me	Cool	m ³ /min (ft ³ /min)		10.4 (367)						
		Heat	m ³ /min (ft ³ /min)		10.9 (385)						
	Hi	Cool	m ³ /min (ft ³ /min)		11.5 (406)						
		Heat	m ³ /min (ft ³ /min)		11.8 (417)						
	SHi	Cool	m ³ /min (ft ³ /min)		12.8 (452)						
		Heat	m ³ /min (ft ³ /min)		14.0 (494)						

Model		Indoor	CS-ME5PKE	
Dimension	Height (I/D)	mm (inch)	295 (11-5/8)	
	Width (I/D)	mm (inch)	870 (34-9/32)	
	Depth (I/D)	mm (inch)	255 (10-1/16)	
Weight	Net (I/D)	kg (lb)	10 (22)	
Piping	Pipe Diameter (Liquid / Gas)	mm (inch)	6.35 (1/4) / 9.52 (3/8) [E21 & E24 : 12.7 (1/2)]	
Drain Hose	Inner Diameter	mm	16.7	
	Length	mm	650	
Indoor Heat Exchanger	Fin Material		Aluminium (Pre Coat)	
	Fin Type		Slit Fin	
	Row × Stage × FPI		2 × 17 × 17	
	Size (W × H × L)	mm	637 × 357 × 25.4	
Air Filter	Material		Polypropelene	
	Type		One-touch	
Power Supply			Indoor	
Power Supply Cord		A	Nil	
Thermostat			Electronic Contol	
Protection Device			Electronic Contol	
			Dry Bulb	Wet Bulb
Indoor Operation Range	Cooling	Maximum °C	32	23
		Minimum °C	16	11
	Heating	Maximum °C	30	–
		Minimum °C	16	–

- Cooling capacities are based on indoor temperature of 27°C Dry Bulb (80.6°F Dry Bulb), 19.0°C Wet Bulb (66.2°F Wet Bulb) and outdoor air temperature of 35°C DRY BULB (95°F Dry Bulb), 24°C Wet Bulb (75.2°F Wet Bulb)
- Heating capacities are based on indoor temperature of 20°C Dry Bulb (68°F Dry Bulb) and outdoor air temperature of 7°C Dry Bulb (44.6°F Dry Bulb), 6°C Wet Bulb (42.8°F Wet Bulb)
- Heating low temperature capacity, Input Power and COP measured at 230 V, indoor temperature 20°C, outdoor 2/1°C
- Heating extreme low temperature capacity, Input Power and COP measured at 230 V, indoor temperature 20°C, outdoor -7/-8°C
- Standby power consumption ≤0.7w (when switched OFF by remote control, except under self protection control).
- Specifications are subjected to change without prior notice for further improvement.

- **Multi Split Combination Possibility:**

- A single outdoor unit enables air conditioning of up to two separate rooms for CU-2E15PBE, CU-2E18PBE.
- A single outdoor unit enables air conditioning of up to three separate rooms for CU-3E18PBE.
- A single outdoor unit enables air conditioning of up to four separate rooms for CU-4E23PBE.

CONNECTABLE INDOOR UNIT			OUTDOOR UNIT										
			CU-2E15PBE		CU-2E18PBE		CU-3E18PBE			CU-4E23PBE			
ROOM			A	B	A	B	A	B	C	A	B	C	D
Type													
Wall	1.6kW	CS-ME5PKE	●	●	●	●	●	●	●	●	●	●	●
	2.0kW	CS-E7QKEW CS-XE7QKEW	●	●	●	●	●	●	●	●	●	●	●
	2.5kW	CS-E9QKEW CS-XE9QKEW	●	●	●	●	●	●	●	●	●	●	●
	3.2kW	CS-E12QKEW CS-XE12QKEW	●	●	●	●	●	●	●	●	●	●	●
	4.0kW	CS-E15QKEW	—	—	—	—	●	●	●	●	●	●	●
	5.0kW	CS-E18QKEW CS-XE18QKEW	—	—	—	—	●	●	●	●	●	●	●
	6.0kW	CS-E21QKEW	—	—	—	—	—	—	—	●	●	●	●
Capacity range of connectable indoor units			From 3.2kW to 5.6kW		From 3.2kW to 6.4kW			From 4.5kW to 9.0kW			From 4.5kW to 11.0kW		
Pipe length	1-room maximum pipe length (m)		20		20			25			25		
	Allowable elevation (m)		10		10			15			15		
	Total allowable pipe length (m)		30		30			50			60		
	Total pipe length for maximum chargeless length (m)		20		20			30			30		
	Additional gas amount over chargeless length (g/m)		15		15			20			20		
Note: “●”: Available													
Remarks for CU-2E15PBE / CU-2E18PBE													
1. At least two indoor units must be connected.													
2. The total nominal cooling capacity of indoor units that will be connected to outdoor unit must be within connectable capacity range of indoor unit. (as shown in the table above)													
Example: The indoor units' combination below is possible to connect to CU-2E15PBE. (Total nominal capacity of indoor units is between 3.2kW to 5.6kW)													
1) Two CS-E7QKEW only (Total nominal cooling capacity is 4.0kW)													
2) One CS-E7QKEW and one CS-E9QKEW. (Total nominal cooling capacity is 4.5kW)													
Remarks for CU-3E18PBE / CU-4E23PBE													
1. At least two indoor units must be connected.													
2. The total nominal cooling capacity of indoor units that will be connected to outdoor unit must be within connectable capacity range of indoor unit. (as shown in the table above)													
Example: The indoor units' combination below is possible to connect to CU-3E18PBE. (Total nominal capacity of indoor units is between 4.5kW to 9.0kW)													
1) Two CS-E9QKEW only (Total nominal cooling capacity is 5.0kW)													
2) Three CS-E12QKEW. (Total nominal cooling capacity is 9.6kW)													

- **Multi Split Combination Possibility:**

- A single outdoor unit enables air conditioning of up to four separate rooms for CU-4E27PBE.
- A single outdoor unit enables air conditioning of up to five separate rooms for CU-5E34PBE.

CONNECTABLE INDOOR UNIT			OUTDOOR UNIT								
			CU-4E27PBE				CU-5E34PBE				
ROOM			A	B	C	D	A	B	C	D	E
Type											
Wall	1.6kW	CS-ME5PKE	●	●	●	●	●	●	●	●	●
	2.0kW	CS-E7QKEW CS-XE7QKEW	●	●	●	●	●	●	●	●	●
	2.5kW	CS-E9QKEW CS-XE9QKEW	●	●	●	●	●	●	●	●	●
	3.2kW	CS-E12QKEW CS-XE12QKEW	●	●	●	●	●	●	●	●	●
	4.0kW	CS-E15QKEW	●	●	●	●	●	●	●	●	●
	5.0kW	CS-E18QKEW CS-XE18QKEW	●	●	●	●	●	●	●	●	●
	6.0kW	CS-E21QKEW	●	●	●	●	●	●	●	●	●
	7.0kW	CS-E24QKEW	●	●	●	●	●	●	●	●	●
Capacity range of connectable indoor units			From 4.5kW to 13.6kW				From 4.5kW to 17.5kW				
Pipe length	1-room maximum pipe length (m)		25				25				
	Allowable elevation (m)		15				15				
	Total allowable pipe length (m)		70				80				
	Total pipe length for maximum chargeless length (m)		45				45				
	Additional gas amount over chargeless length (g/m)		20				20				
Note: “●”: Available											
Remarks for CU-4E27PBE / CU-5E34PBE											
1. At least two indoor units must be connected.											
2. The total nominal cooling capacity of indoor units that will be connected to outdoor unit must be within connectable capacity range of indoor unit. (as shown in the table above)											
Example: The indoor units' combination below is possible to connect to CU-4E27PBE.											
(Total nominal capacity of indoor units is between 4.5kW to 13.6kW)											
1) Two CS-E9QKEW only (Total nominal cooling capacity is 5.0kW)											
2) Three CS-E12QKEW. (Total nominal cooling capacity is 9.6kW)											

- Indoor Unit : CS-ME5PKE, CS-E7/9/12QKEW, CS-XE7/9/12QKEW
- Outdoor Unit : CU-2E15PBE

2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6	3.2	1.6	1.6
1.6+2.0	3.6	2.0	2.0
1.6+2.5	4.1	2.5	2.5
1.6+2.8	4.4	2.8	2.8
1.6+3.2	4.8	3.2	3.2
2.0+2.0	4.0		
2.0+2.5	4.5		
2.0+2.8	4.8		
2.0+3.2	5.2		
2.5+2.5	5.0		
2.5+2.8	5.3		
2.8+2.8	5.6		

- Indoor Unit : CS-ME5PKE, CS-E7/9/12QKEW, CS-XE7/9/12QKEW
- Outdoor Unit : CU-2E18PBE

2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6	3.2	1.6	1.6
1.6+2.0	3.6	2.0	2.0
1.6+2.5	4.1	2.5	2.5
1.6+2.8	4.4	2.8	2.8
1.6+3.2	4.8	3.2	3.2
2.0+2.0	4.0		
2.0+2.5	4.5		
2.0+2.8	4.8		
2.0+3.2	5.2		
2.5+2.5	5.0		
2.5+2.8	5.3		
2.5+3.2	5.7		
2.8+2.8	5.6		
2.8+3.2	6.0		
3.2+3.2	6.4		

- Indoor Unit : CS-ME5PKE, CS-E7/9/12/15/18QKEW, CS-XE7/9/12/18QKEW
- Outdoor Unit : CU-3E18PBE

3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6+1.6	4.8	1.6+1.6	3.2	1.6	1.6
1.6+1.6+2.0	5.2	1.6+2.0	3.6	2.0	2.0
1.6+1.6+2.5	5.7	1.6+2.5	4.1	2.5	2.5
1.6+1.6+2.8	6.0	1.6+2.8	4.4	2.8	2.8
1.6+1.6+3.2	6.4	1.6+3.2	4.8	3.2	3.2
1.6+1.6+4.0	7.2	1.6+4.0	5.6	4.0	4.0
1.6+1.6+5.0	8.2	1.6+5.0	6.6	5.0	5.0
1.6+2.0+2.0	5.6	2.0+2.0	4.0		
1.6+2.0+2.5	6.1	2.0+2.5	4.5		
1.6+2.0+2.8	6.4	2.0+2.8	4.8		
1.6+2.0+3.2	6.8	2.0+3.2	5.2		
1.6+2.0+4.0	7.6	2.0+4.0	6.0		
1.6+2.0+5.0	8.6	2.0+5.0	7.0		
1.6+2.5+2.5	6.6	2.5+2.5	5.0		
1.6+2.5+2.8	6.9	2.5+2.8	5.3		
1.6+2.5+3.2	7.3	2.5+3.2	5.7		
1.6+2.5+4.0	8.1	2.5+4.0	6.5		
1.6+2.8+2.8	7.2	2.5+5.0	7.5		
1.6+2.8+3.2	7.6	2.8+2.8	5.6		
1.6+2.8+4.0	8.4	2.8+3.2	6.0		
1.6+3.2+3.2	8.0	2.8+4.0	6.8		
1.6+3.2+4.0	8.8	2.8+5.0	7.8		
2.0+2.0+2.0	6.0	3.2+3.2	6.4		
2.0+2.0+2.5	6.5	3.2+4.0	7.2		
2.0+2.0+2.8	6.8	3.2+5.0	8.2		
2.0+2.0+3.2	7.2	4.0+4.0	8.0		
2.0+2.0+4.0	8.0	4.0+5.0	9.0		
2.0+2.0+5.0	9.0				
2.0+2.5+2.5	7.0				
2.0+2.5+2.8	7.3				
2.0+2.5+3.2	7.7				
2.0+2.5+4.0	8.5				
2.0+2.8+2.8	7.6				
2.0+2.8+3.2	8.0				
2.0+2.8+4.0	8.8				
2.0+3.2+3.2	8.4				
2.5+2.5+2.5	7.5				
2.5+2.5+2.8	7.8				
2.5+2.5+3.2	8.2				
2.5+2.5+4.0	9.0				
2.5+2.8+2.8	8.1				
2.5+2.8+3.2	8.5				
2.5+3.2+3.2	8.9				
2.8+2.8+2.8	8.4				
2.8+2.8+3.2	8.8				

- Indoor Unit : CS-ME5PKE, CS-E7/9/12/15/18/21QKEW, CS-XE7/9/12/18QKEW
- Outdoor Unit : CU-4E23PBE

4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6+1.6+1.6	6.4	1.6+1.6+1.6	4.8	1.6+1.6	3.2	1.6	1.6
1.6+1.6+1.6+2.0	6.8	1.6+1.6+2.0	5.2	1.6+2.0	3.6	2.0	2.0
1.6+1.6+1.6+2.5	7.3	1.6+1.6+2.5	5.7	1.6+2.5	4.1	2.5	2.5
1.6+1.6+1.6+2.8	7.6	1.6+1.6+2.8	6.0	1.6+2.8	4.4	2.8	2.8
1.6+1.6+1.6+3.2	8.0	1.6+1.6+3.2	6.4	1.6+3.2	4.8	3.2	3.2
1.6+1.6+1.6+4.0	8.8	1.6+1.6+4.0	7.2	1.6+4.0	5.6	4.0	4.0
1.6+1.6+1.6+5.0	9.8	1.6+1.6+5.0	8.2	1.6+5.0	6.6	5.0	5.0
1.6+1.6+1.6+6.0	10.8	1.6+1.6+6.0	9.2	1.6+6.0	7.6	6.0	6.0
1.6+1.6+2.0+2.0	7.2	1.6+2.0+2.0	5.6	2.0+2.0	4.0		
1.6+1.6+2.0+2.5	7.7	1.6+2.0+2.5	6.1	2.0+2.5	4.5		
1.6+1.6+2.0+2.8	8.0	1.6+2.0+2.8	6.4	2.0+2.8	4.8		
1.6+1.6+2.0+3.2	8.4	1.6+2.0+3.2	6.8	2.0+3.2	5.2		
1.6+1.6+2.0+4.0	9.2	1.6+2.0+4.0	7.6	2.0+4.0	6.0		
1.6+1.6+2.0+5.0	10.2	1.6+2.0+5.0	8.6	2.0+5.0	7.0		
1.6+1.6+2.5+2.5	8.2	1.6+2.0+6.0	9.6	2.0+6.0	8.0		
1.6+1.6+2.5+2.8	8.5	1.6+2.5+2.5	6.6	2.5+2.5	5.0		
1.6+1.6+2.5+3.2	8.9	1.6+2.5+2.8	6.9	2.5+2.8	5.3		
1.6+1.6+2.5+4.0	9.7	1.6+2.5+3.2	7.3	2.5+3.2	5.7		
1.6+1.6+2.5+5.0	10.7	1.6+2.5+4.0	8.1	2.5+4.0	6.5		
1.6+1.6+2.8+2.8	8.8	1.6+2.5+5.0	9.1	2.5+5.0	7.5		
1.6+1.6+2.8+3.2	9.2	1.6+2.5+6.0	10.1	2.5+6.0	8.5		
1.6+1.6+2.8+4.0	10.0	1.6+2.8+2.8	7.2	2.8+2.8	5.6		
1.6+1.6+2.8+5.0	11.0	1.6+2.8+3.2	7.6	2.8+3.2	6.0		
1.6+1.6+3.2+3.2	9.6	1.6+2.8+4.0	8.4	2.8+4.0	6.8		
1.6+1.6+3.2+4.0	10.4	1.6+2.8+5.0	9.4	2.8+5.0	7.8		
1.6+2.0+2.0+2.0	7.6	1.6+2.8+6.0	10.4	2.8+6.0	8.8		
1.6+2.0+2.0+2.5	8.1	1.6+3.2+3.2	8.0	3.2+3.2	6.4		
1.6+2.0+2.0+2.8	8.4	1.6+3.2+4.0	8.8	3.2+4.0	7.2		
1.6+2.0+2.0+3.2	8.8	1.6+3.2+5.0	9.8	3.2+5.0	8.2		
1.6+2.0+2.0+4.0	9.6	1.6+3.2+6.0	10.8	3.2+6.0	9.2		
1.6+2.0+2.0+5.0	10.6	1.6+4.0+4.0	9.6	4.0+4.0	8.0		
1.6+2.0+2.5+2.5	8.6	1.6+4.0+5.0	10.6	4.0+5.0	9.0		
1.6+2.0+2.5+2.8	8.9	2.0+2.0+2.0	6.0	4.0+6.0	10.0		
1.6+2.0+2.5+3.2	9.3	2.0+2.0+2.5	6.5	5.0+5.0	10.0		
1.6+2.0+2.5+4.0	10.1	2.0+2.0+2.8	6.8	5.0+6.0	11.0		
1.6+2.0+2.8+2.8	9.2	2.0+2.0+3.2	7.2				
1.6+2.0+2.8+3.2	9.6	2.0+2.0+4.0	8.0				
1.6+2.0+2.8+4.0	10.4	2.0+2.0+5.0	9.0				
1.6+2.0+3.2+3.2	10.0	2.0+2.0+6.0	10.0				
1.6+2.0+3.2+4.0	10.8	2.0+2.5+2.5	7.0				
1.6+2.5+2.5+2.5	9.1	2.0+2.5+2.8	7.3				
1.6+2.5+2.5+2.8	9.4	2.0+2.5+3.2	7.7				
1.6+2.5+2.5+3.2	9.8	2.0+2.5+4.0	8.5				
1.6+2.5+2.5+4.0	10.6	2.0+2.5+5.0	9.5				
1.6+2.5+2.8+2.8	9.7	2.0+2.5+6.0	10.5				
1.6+2.5+2.8+3.2	10.1	2.0+2.8+2.8	7.6				
1.6+2.5+2.8+4.0	10.9	2.0+2.8+3.2	8.0				
1.6+2.5+3.2+3.2	10.5	2.0+2.8+4.0	8.8				
1.6+2.8+2.8+2.8	10.0	2.0+2.8+5.0	9.8				
1.6+2.8+2.8+3.2	10.4	2.0+2.8+6.0	10.8				
1.6+2.8+3.2+3.2	10.8	2.0+3.2+3.2	8.4				
2.0+2.0+2.0+2.0	8.0	2.0+3.2+4.0	9.2				
2.0+2.0+2.0+2.5	8.5	2.0+3.2+5.0	10.2				
2.0+2.0+2.0+2.8	8.8	2.0+4.0+4.0	10.0				
2.0+ 2.0+2.0+3.2	9.2	2.0+4.0+5.0	11.0				
2.0+2.0+2.0+4.0	10.0	2.5+2.5+2.5	7.5				
2.0+2.0+2.0+5.0	11.0	2.5+2.5+2.8	7.8				
2.0+2.0+2.5+2.5	9.0	2.5+2.5+3.2	8.2				
2.0+2.0+2.5+2.8	9.3	2.5+2.5+4.0	9.0				

4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
2.0+2.0+2.5+3.2	9.7	2.5+2.5+5.0	10.0				
2.0+2.0+2.5+4.0	10.5	2.5+2.5+6.0	11.0				
2.0+2.0+2.8+2.8	9.6	2.5+2.8+2.8	8.1				
2.0+2.0+2.8+3.2	10.0	2.5+2.8+3.2	8.5				
2.0+2.0+2.8+4.0	10.8	2.5+2.8+4.0	9.3				
2.0+2.0+3.2+3.2	10.4	2.5+2.8+5.0	10.3				
2.0+2.5+2.5+2.5	9.5	2.5+3.2+3.2	8.9				
2.0+2.5+2.5+2.8	9.8	2.5+3.2+4.0	9.7				
2.0+2.5+2.5+3.2	10.2	2.5+3.2+5.0	10.7				
2.0+2.5+2.5+4.0	11.0	2.5+4.0+4.0	10.5				
2.0+2.5+2.8+2.8	10.1	2.8+2.8+2.8	8.4				
2.0+2.5+2.8+3.2	10.5	2.8+2.8+3.2	8.8				
2.0+2.5+3.2+3.2	10.9	2.8+2.8+4.0	9.6				
2.0+2.8+2.8+2.8	10.4	2.8+2.8+5.0	10.6				
2.0+2.8+2.8+3.2	10.8	2.8+3.2+3.2	9.2				
2.5+2.5+2.5+2.5	10.0	2.8+3.2+4.0	10.0				
2.5+2.5+2.5+2.8	10.3	2.8+3.2+5.0	11.0				
2.5+2.5+2.5+3.2	10.7	2.8+4.0+4.0	10.8				
2.5+2.5+2.8+2.8	10.6	3.2+3.2+3.2	9.6				
2.5+2.5+2.8+3.2	11.0	3.2+3.2+4.0	10.4				
2.5+2.8+2.8+2.8	10.9						

- Indoor Unit : CS-ME5PKE, CS-E7/9/12/15/18/21/24QKEW, CS-XE7/9/12/18QKEW
- Outdoor Unit : CU-4E27PBE

4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6+1.6+1.6	6.4	1.6+1.6+1.6	4.8	1.6+1.6	3.2	1.6	1.6
1.6+1.6+1.6+2.0	6.8	1.6+1.6+2.0	5.2	1.6+2.0	3.6	2.0	2.0
1.6+1.6+1.6+2.5	7.3	1.6+1.6+2.5	5.7	1.6+2.5	4.1	2.5	2.5
1.6+1.6+1.6+2.8	7.6	1.6+1.6+2.8	6.0	1.6+2.8	4.4	2.8	2.8
1.6+1.6+1.6+3.2	8.0	1.6+1.6+3.2	6.4	1.6+3.2	4.8	3.2	3.2
1.6+1.6+1.6+4.0	8.8	1.6+1.6+4.0	7.2	1.6+4.0	5.6	4.0	4.0
1.6+1.6+1.6+5.0	9.8	1.6+1.6+5.0	8.2	1.6+5.0	6.6	5.0	5.0
1.6+1.6+1.6+6.0	10.8	1.6+1.6+6.0	9.2	1.6+6.0	7.6	6.0	6.0
1.6+1.6+1.6+7.0	11.8	1.6+1.6+7.0	10.2	1.6+7.0	8.6	7.0	7.0
1.6+1.6+2.0+2.0	7.2	1.6+2.0+2.0	5.6	2.0+2.0	4.0		
1.6+1.6+2.0+2.5	7.7	1.6+2.0+2.5	6.1	2.0+2.5	4.5		
1.6+1.6+2.0+2.8	8.0	1.6+2.0+2.8	6.4	2.0+2.8	4.8		
1.6+1.6+2.0+3.2	8.4	1.6+2.0+3.2	6.8	2.0+3.2	5.2		
1.6+1.6+2.0+4.0	9.2	1.6+2.0+4.0	7.6	2.0+4.0	6.0		
1.6+1.6+2.0+5.0	10.2	1.6+2.0+5.0	8.6	2.0+5.0	7.0		
1.6+1.6+2.0+6.0	11.2	1.6+2.0+6.0	9.6	2.0+6.0	8.0		
1.6+1.6+2.0+7.0	12.2	1.6+2.0+7.0	10.6	2.0+7.0	9.0		
1.6+1.6+2.5+2.5	8.2	1.6+2.5+2.5	6.6	2.5+2.5	5.0		
1.6+1.6+2.5+2.8	8.5	1.6+2.5+2.8	6.9	2.5+2.8	5.3		
1.6+1.6+2.5+3.2	8.9	1.6+2.5+3.2	7.3	2.5+3.2	5.7		
1.6+1.6+2.5+4.0	9.7	1.6+2.5+4.0	8.1	2.5+4.0	6.5		
1.6+1.6+2.5+5.0	10.7	1.6+2.5+5.0	9.1	2.5+5.0	7.5		
1.6+1.6+2.5+6.0	11.7	1.6+2.5+6.0	10.1	2.5+6.0	8.5		
1.6+1.6+2.5+7.0	12.7	1.6+2.5+7.0	11.1	2.5+7.0	9.5		
1.6+1.6+2.8+2.8	8.8	1.6+2.8+2.8	7.2	2.8+2.8	5.6		
1.6+1.6+2.8+3.2	9.2	1.6+2.8+3.2	7.6	2.8+3.2	6.0		
1.6+1.6+2.8+4.0	10.0	1.6+2.8+4.0	8.4	2.8+4.0	6.8		
1.6+1.6+2.8+5.0	11.0	1.6+2.8+5.0	9.4	2.8+5.0	7.8		
1.6+1.6+2.8+6.0	12.0	1.6+2.8+6.0	10.4	2.8+6.0	8.8		
1.6+1.6+2.8+7.0	13.0	1.6+2.8+7.0	11.4	2.8+7.0	9.8		
1.6+1.6+3.2+3.2	9.6	1.6+3.2+3.2	8.0	3.2+3.2	6.4		
1.6+1.6+3.2+4.0	10.4	1.6+3.2+4.0	8.8	3.2+4.0	7.2		
1.6+1.6+3.2+5.0	11.4	1.6+3.2+5.0	9.8	3.2+5.0	8.2		
1.6+1.6+3.2+6.0	12.4	1.6+3.2+6.0	10.8	3.2+6.0	9.2		
1.6+1.6+3.2+7.0	13.4	1.6+3.2+7.0	11.8	3.2+7.0	10.2		
1.6+1.6+4.0+4.0	11.2	1.6+4.0+4.0	9.6	4.0+4.0	8.0		
1.6+1.6+4.0+5.0	12.2	1.6+4.0+5.0	10.6	4.0+5.0	9.0		
1.6+1.6+4.0+6.0	13.2	1.6+4.0+6.0	11.6	4.0+6.0	10.0		
1.6+1.6+5.0+5.0	13.2	1.6+4.0+7.0	12.6	4.0+7.0	11.0		
1.6+2.0+2.0+2.0	7.6	1.6+5.0+5.0	11.6	5.0+5.0	10.0		
1.6+2.0+2.0+2.5	8.1	1.6+5.0+6.0	12.6	5.0+6.0	11.0		
1.6+2.0+2.0+2.8	8.4	1.6+5.0+7.0	13.6	5.0+7.0	12.0		
1.6+2.0+2.0+3.2	8.8	1.6+6.0+6.0	13.6	6.0+6.0	12.0		
1.6+2.0+2.0+4.0	9.6	2.0+2.0+2.0	6.0	6.0+7.0	13.0		
1.6+2.0+2.0+5.0	10.6	2.0+2.0+2.5	6.5				
1.6+2.0+2.0+6.0	11.6	2.0+2.0+2.8	6.8				
1.6+2.0+2.0+7.0	12.6	2.0+2.0+3.2	7.2				
1.6+2.0+2.5+2.5	8.6	2.0+2.0+4.0	8.0				
1.6+2.0+2.5+2.8	8.9	2.0+2.0+5.0	9.0				
1.6+2.0+2.5+3.2	9.3	2.0+2.0+6.0	10.0				
1.6+2.0+2.5+4.0	10.1	2.0+2.0+7.0	11.0				
1.6+2.0+2.5+5.0	11.1	2.0+2.5+2.5	7.0				
1.6+2.0+2.5+6.0	12.1	2.0+2.5+2.8	7.3				
1.6+2.0+2.5+7.0	13.1	2.0+2.5+3.2	7.7				
1.6+2.0+2.8+2.8	9.2	2.0+2.5+4.0	8.5				
1.6+2.0+2.8+3.2	9.6	2.0+2.5+5.0	9.5				
1.6+2.0+2.8+4.0	10.4	2.0+2.5+6.0	10.5				
1.6+2.0+2.8+5.0	11.4	2.0+2.5+7.0	11.5				
1.6+2.0+2.8+6.0	12.4	2.0+2.8+2.8	7.6				

4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+2.0+2.8+7.0	13.4	2.0+2.8+3.2	8.0				
1.6+2.0+3.2+3.2	10.0	2.0+2.8+4.0	8.8				
1.6+2.0+3.2+4.0	10.8	2.0+2.8+5.0	9.8				
1.6+2.0+3.2+5.0	11.8	2.0+2.8+6.0	10.8				
1.6+2.0+3.2+6.0	12.8	2.0+2.8+7.0	11.8				
1.6+2.0+4.0+4.0	11.6	2.0+3.2+3.2	8.4				
1.6+2.0+4.0+5.0	12.6	2.0+3.2+4.0	9.2				
1.6+2.0+4.0+6.0	13.6	2.0+3.2+5.0	10.2				
1.6+2.0+5.0+5.0	13.6	2.0+3.2+6.0	11.2				
1.6+2.5+2.5+2.5	9.1	2.0+3.2+7.0	12.2				
1.6+2.5+2.5+2.8	9.4	2.0+4.0+4.0	10.0				
1.6+2.5+2.5+3.2	9.8	2.0+4.0+5.0	11.0				
1.6+2.5+2.5+4.0	10.6	2.0+4.0+6.0	12.0				
1.6+2.5+2.5+5.0	11.6	2.0+4.0+7.0	13.0				
1.6+2.5+2.5+6.0	12.6	2.0+5.0+5.0	12.0				
1.6+2.5+2.5+7.0	13.6	2.0+5.0+6.0	13.0				
1.6+2.5+2.8+2.8	9.7	2.5+2.5+2.5	7.5				
1.6+2.5+2.8+3.2	10.1	2.5+2.5+2.8	7.8				
1.6+2.5+2.8+4.0	10.9	2.5+2.5+3.2	8.2				
1.6+2.5+2.8+5.0	11.9	2.5+2.5+4.0	9.0				
1.6+2.5+2.8+6.0	12.9	2.5+2.5+5.0	10.0				
1.6+2.5+3.2+3.2	10.5	2.5+2.5+6.0	11.0				
1.6+2.5+3.2+4.0	11.3	2.5+2.5+7.0	12.0				
1.6+2.5+3.2+5.0	12.3	2.5+2.8+2.8	8.1				
1.6+2.5+3.2+6.0	13.3	2.5+2.8+3.2	8.5				
1.6+2.5+4.0+4.0	12.1	2.5+2.8+4.0	9.3				
1.6+2.5+4.0+5.0	13.1	2.5+2.8+5.0	10.3				
1.6+2.8+2.8+2.8	10.0	2.5+2.8+6.0	11.3				
1.6+2.8+2.8+3.2	10.4	2.5+2.8+7.0	12.3				
1.6+2.8+2.8+4.0	11.2	2.5+3.2+3.2	8.9				
1.6+2.8+2.8+5.0	12.2	2.5+3.2+4.0	9.7				
1.6+2.8+2.8+6.0	13.2	2.5+3.2+5.0	10.7				
1.6+2.8+3.2+3.2	10.8	2.5+3.2+6.0	11.7				
1.6+2.8+3.2+4.0	11.6	2.5+3.2+7.0	12.7				
1.6+2.8+3.2+5.0	12.6	2.5+4.0+4.0	10.5				
1.6+2.8+3.2+6.0	13.6	2.5+4.0+5.0	11.5				
1.6+2.8+4.0+4.0	12.4	2.5+4.0+6.0	12.5				
1.6+2.8+4.0+5.0	13.4	2.5+4.0+7.0	13.5				
1.6+3.2+3.2+3.2	11.2	2.5+5.0+5.0	12.5				
1.6+3.2+3.2+4.0	12.0	2.5+5.0+6.0	13.5				
1.6+3.2+3.2+5.0	13.0	2.8+2.8+2.8	8.4				
1.6+3.2+4.0+4.0	12.8	2.8+2.8+3.2	8.8				
1.6+4.0+4.0+4.0	13.6	2.8+2.8+4.0	9.6				
2.0+2.0+2.0+2.0	8.0	2.8+2.8+5.0	10.6				
2.0+2.0+2.0+2.5	8.5	2.8+2.8+6.0	11.6				
2.0+2.0+2.0+2.8	8.8	2.8+2.8+7.0	12.6				
2.0+2.0+2.0+3.2	9.2	2.8+3.2+3.2	9.2				
2.0+2.0+2.0+4.0	10.0	2.8+3.2+4.0	10.0				
2.0+2.0+2.0+5.0	11.0	2.8+3.2+5.0	11.0				
2.0+2.0+2.0+6.0	12.0	2.8+3.2+6.0	12.0				
2.0+2.0+2.0+7.0	13.0	2.8+3.2+7.0	13.0				
2.0+2.0+2.5+2.5	9.0	2.8+4.0+4.0	10.8				
2.0+2.0+2.5+2.8	9.3	2.8+4.0+5.0	11.8				
2.0+2.0+2.5+3.2	9.7	2.8+4.0+6.0	12.8				
2.0+2.0+2.5+4.0	10.5	2.8+5.0+5.0	12.8				
2.0+2.0+2.5+5.0	11.5	3.2+3.2+3.2	9.6				
2.0+2.0+2.5+6.0	12.5	3.2+3.2+4.0	10.4				
2.0+2.0+2.5+7.0	13.5	3.2+3.2+5.0	11.4				
2.0+2.0+2.8+2.8	9.6	3.2+3.2+6.0	12.4				
2.0+2.0+2.8+3.2	10.0	3.2+3.2+7.0	13.4				
2.0+2.0+2.8+4.0	10.8	3.2+4.0+4.0	11.2				
2.0+2.0+2.8+5.0	11.8	3.2+4.0+5.0	12.2				

4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
2.0+2.0+2.8+6.0	12.8	3.2+4.0+6.0	13.2				
2.0+2.0+3.2+3.2	10.4	3.2+5.0+5.0	13.2				
2.0+2.0+3.2+4.0	11.2	4.0+4.0+4.0	12.0				
2.0+2.0+3.2+5.0	12.2	4.0+4.0+5.0	13.0				
2.0+2.0+3.2+6.0	13.2						
2.0+2.0+4.0+4.0	12.0						
2.0+2.0+4.0+5.0	13.0						
2.0+2.5+2.5+2.5	9.5						
2.0+2.5+2.5+2.8	9.8						
2.0+2.5+2.5+3.2	10.2						
2.0+2.5+2.5+4.0	11.0						
2.0+2.5+2.5+5.0	12.0						
2.0+2.5+2.5+6.0	13.0						
2.0+2.5+2.8+2.8	10.1						
2.0+2.5+2.8+3.2	10.5						
2.0+2.5+2.8+4.0	11.3						
2.0+2.5+2.8+5.0	12.3						
2.0+2.5+2.8+6.0	13.3						
2.0+2.5+3.2+3.2	10.9						
2.0+2.5+3.2+4.0	11.7						
2.0+2.5+3.2+5.0	12.7						
2.0+2.5+4.0+4.0	12.5						
2.0+2.5+4.0+5.0	13.5						
2.0+2.8+2.8+2.8	10.4						
2.0+2.8+2.8+3.2	10.8						
2.0+2.8+2.8+4.0	11.6						
2.0+2.8+2.8+5.0	12.6						
2.0+2.8+2.8+6.0	13.6						
2.0+2.8+3.2+3.2	11.2						
2.0+2.8+3.2+4.0	12.0						
2.0+2.8+3.2+5.0	13.0						
2.0+2.8+4.0+4.0	12.8						
2.0+3.2+3.2+3.2	11.6						
2.0+3.2+3.2+4.0	12.4						
2.0+3.2+3.2+5.0	13.4						
2.0+3.2+4.0+4.0	13.2						
2.5+2.5+2.5+2.5	10.0						
2.5+2.5+2.5+2.8	10.3						
2.5+2.5+2.5+3.2	10.7						
2.5+2.5+2.5+4.0	11.5						
2.5+2.5+2.5+5.0	12.5						
2.5+2.5+2.5+6.0	13.5						
2.5+2.5+2.8+2.8	10.6						
2.5+2.5+2.8+3.2	11.0						
2.5+2.5+2.8+4.0	11.8						
2.5+2.5+2.8+5.0	12.8						
2.5+2.5+3.2+3.2	11.4						
2.5+2.5+3.2+4.0	12.2						
2.5+2.5+3.2+5.0	13.2						
2.5+2.5+4.0+4.0	13.0						
2.5+2.8+2.8+2.8	10.9						
2.5+2.8+2.8+3.2	11.3						
2.5+2.8+2.8+4.0	12.1						
2.5+2.8+2.8+5.0	13.1						
2.5+2.8+3.2+3.2	11.7						
2.5+2.8+3.2+4.0	12.5						
2.5+2.8+3.2+5.0	13.5						
2.5+2.8+4.0+4.0	13.3						
2.5+3.2+3.2+3.2	12.1						
2.5+3.2+3.2+4.0	12.9						
2.8+2.8+2.8+2.8	11.2						
2.8+2.8+2.8+3.2	11.6						

4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
2.8+2.8+2.8+4.0	12.4						
2.8+2.8+2.8+5.0	13.4						
2.8+2.8+3.2+3.2	12.0						
2.8+2.8+3.2+4.0	12.8						
2.8+2.8+4.0+4.0	13.6						
2.8+3.2+3.2+3.2	12.4						
2.8+3.2+3.2+4.0	13.2						
3.2+3.2+3.2+3.2	12.8						
3.2+3.2+3.2+4.0	13.6						

- Indoor Unit : CS-ME5PKE, CS-E7/9/12/15/18/21/24QKEW, CS-XE7/9/12/18QKEW
- Outdoor Unit : CU-5E34PBE

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6+1.6+1.6+1.6	8.0	1.6+1.6+1.6+1.6	6.4	1.6+1.6+1.6	4.8	1.6+1.6	3.2	1.6	1.6
1.6+1.6+1.6+1.6+2.0	8.4	1.6+1.6+1.6+2.0	6.8	1.6+1.6+2.0	5.2	1.6+2.0	3.6	2.0	2.0
1.6+1.6+1.6+1.6+2.5	8.9	1.6+1.6+1.6+2.5	7.3	1.6+1.6+2.5	5.7	1.6+2.5	4.1	2.5	2.5
1.6+1.6+1.6+1.6+2.8	9.2	1.6+1.6+1.6+2.8	7.6	1.6+1.6+2.8	6.0	1.6+2.8	4.4	2.8	2.8
1.6+1.6+1.6+1.6+3.2	9.6	1.6+1.6+1.6+3.2	8.0	1.6+1.6+3.2	6.4	1.6+3.2	4.8	3.2	3.2
1.6+1.6+1.6+1.6+4.0	10.4	1.6+1.6+1.6+4.0	8.8	1.6+1.6+4.0	7.2	1.6+4.0	5.6	4.0	4.0
1.6+1.6+1.6+1.6+5.0	11.4	1.6+1.6+1.6+5.0	9.8	1.6+1.6+5.0	8.2	1.6+5.0	6.6	5.0	5.0
1.6+1.6+1.6+1.6+6.0	12.4	1.6+1.6+1.6+6.0	10.8	1.6+1.6+6.0	9.2	1.6+6.0	7.6	6.0	6.0
1.6+1.6+1.6+1.6+7.0	13.4	1.6+1.6+1.6+7.0	11.8	1.6+1.6+7.0	10.2	1.6+7.0	8.6	7.0	7.0
1.6+1.6+1.6+2.0+2.0	8.8	1.6+1.6+2.0+2.0	7.2	1.6+2.0+2.0	5.6	2.0+2.0	4.0		
1.6+1.6+1.6+2.0+2.5	9.3	1.6+1.6+2.0+2.5	7.7	1.6+2.0+2.5	6.1	2.0+2.5	4.5		
1.6+1.6+1.6+2.0+2.8	9.6	1.6+1.6+2.0+2.8	8.0	1.6+2.0+2.8	6.4	2.0+2.8	4.8		
1.6+1.6+1.6+2.0+3.2	10.0	1.6+1.6+2.0+3.2	8.4	1.6+2.0+3.2	6.8	2.0+3.2	5.2		
1.6+1.6+1.6+2.0+4.0	10.8	1.6+1.6+2.0+4.0	9.2	1.6+2.0+4.0	7.6	2.0+4.0	6.0		
1.6+1.6+1.6+2.0+5.0	11.8	1.6+1.6+2.0+5.0	10.2	1.6+2.0+5.0	8.6	2.0+5.0	7.0		
1.6+1.6+1.6+2.0+6.0	12.8	1.6+1.6+2.0+6.0	11.2	1.6+2.0+6.0	9.6	2.0+6.0	8.0		
1.6+1.6+1.6+2.0+7.0	13.8	1.6+1.6+2.0+7.0	12.2	1.6+2.0+7.0	10.6	2.0+7.0	9.0		
1.6+1.6+1.6+2.5+2.5	9.8	1.6+1.6+2.5+2.5	8.2	1.6+2.5+2.5	6.6	2.5+2.5	5.0		
1.6+1.6+1.6+2.5+2.8	10.1	1.6+1.6+2.5+2.8	8.5	1.6+2.5+2.8	6.9	2.5+2.8	5.3		
1.6+1.6+1.6+2.5+3.2	10.5	1.6+1.6+2.5+3.2	8.9	1.6+2.5+3.2	7.3	2.5+3.2	5.7		
1.6+1.6+1.6+2.5+4.0	11.3	1.6+1.6+2.5+4.0	9.7	1.6+2.5+4.0	8.1	2.5+4.0	6.5		
1.6+1.6+1.6+2.5+5.0	12.3	1.6+1.6+2.5+5.0	10.7	1.6+2.5+5.0	9.1	2.5+5.0	7.5		
1.6+1.6+1.6+2.5+6.0	13.3	1.6+1.6+2.5+6.0	11.7	1.6+2.5+6.0	10.1	2.5+6.0	8.5		
1.6+1.6+1.6+2.5+7.0	14.3	1.6+1.6+2.5+7.0	12.7	1.6+2.5+7.0	11.1	2.5+7.0	9.5		
1.6+1.6+1.6+2.8+2.8	10.4	1.6+1.6+2.8+2.8	8.8	1.6+2.8+2.8	7.2	2.8+2.8	5.6		
1.6+1.6+1.6+2.8+3.2	10.8	1.6+1.6+2.8+3.2	9.2	1.6+2.8+3.2	7.6	2.8+3.2	6.0		
1.6+1.6+1.6+2.8+4.0	11.6	1.6+1.6+2.8+4.0	10.0	1.6+2.8+4.0	8.4	2.8+4.0	6.8		
1.6+1.6+1.6+2.8+5.0	12.6	1.6+1.6+2.8+5.0	11.0	1.6+2.8+5.0	9.4	2.8+5.0	7.8		
1.6+1.6+1.6+2.8+6.0	13.6	1.6+1.6+2.8+6.0	12.0	1.6+2.8+6.0	10.4	2.8+6.0	8.8		
1.6+1.6+1.6+2.8+7.0	14.6	1.6+1.6+2.8+7.0	13.0	1.6+2.8+7.0	11.4	2.8+7.0	9.8		
1.6+1.6+1.6+3.2+3.2	11.2	1.6+1.6+3.2+3.2	9.6	1.6+3.2+3.2	8.0	3.2+3.2	6.4		
1.6+1.6+1.6+3.2+4.0	12.0	1.6+1.6+3.2+4.0	10.4	1.6+3.2+4.0	8.8	3.2+4.0	7.2		
1.6+1.6+1.6+3.2+5.0	13.0	1.6+1.6+3.2+5.0	11.4	1.6+3.2+5.0	9.8	3.2+5.0	8.2		
1.6+1.6+1.6+3.2+6.0	14.0	1.6+1.6+3.2+6.0	12.4	1.6+3.2+6.0	10.8	3.2+6.0	9.2		
1.6+1.6+1.6+3.2+7.0	15.0	1.6+1.6+3.2+7.0	13.4	1.6+3.2+7.0	11.8	3.2+7.0	10.2		
1.6+1.6+1.6+4.0+4.0	12.8	1.6+1.6+4.0+4.0	11.2	1.6+4.0+4.0	9.6	4.0+4.0	8.0		
1.6+1.6+1.6+4.0+5.0	13.8	1.6+1.6+4.0+5.0	12.2	1.6+4.0+5.0	10.6	4.0+5.0	9.0		
1.6+1.6+1.6+4.0+6.0	14.8	1.6+1.6+4.0+6.0	13.2	1.6+4.0+6.0	11.6	4.0+6.0	10.0		
1.6+1.6+1.6+4.0+7.0	15.8	1.6+1.6+4.0+7.0	14.2	1.6+4.0+7.0	12.6	4.0+7.0	11.0		
1.6+1.6+1.6+5.0+5.0	14.8	1.6+1.6+5.0+5.0	13.2	1.6+5.0+5.0	11.6	5.0+5.0	10.0		
1.6+1.6+1.6+5.0+6.0	15.8	1.6+1.6+5.0+6.0	14.2	1.6+5.0+6.0	12.6	5.0+6.0	11.0		
1.6+1.6+1.6+5.0+7.0	16.8	1.6+1.6+5.0+7.0	15.2	1.6+5.0+7.0	13.6	5.0+7.0	12.0		
1.6+1.6+1.6+6.0+6.0	16.8	1.6+1.6+6.0+6.0	15.2	1.6+6.0+6.0	13.6	6.0+6.0	12.0		
1.6+1.6+2.0+2.0+2.0	9.2	1.6+1.6+6.0+7.0	16.2	1.6+6.0+7.0	14.6	6.0+7.0	13.0		
1.6+1.6+2.0+2.0+2.5	9.7	1.6+1.6+7.0+7.0	17.2	1.6+7.0+7.0	15.6	7.0+7.0	14.0		
1.6+1.6+2.0+2.0+2.8	10.0	1.6+2.0+2.0+2.0	7.6	2.0+2.0+2.0	6.0				
1.6+1.6+2.0+2.0+3.2	10.4	1.6+2.0+2.0+2.5	8.1	2.0+2.0+2.5	6.5				
1.6+1.6+2.0+2.0+4.0	11.2	1.6+2.0+2.0+2.8	8.4	2.0+2.0+2.8	6.8				
1.6+1.6+2.0+2.0+5.0	12.2	1.6+2.0+2.0+3.2	8.8	2.0+2.0+3.2	7.2				
1.6+1.6+2.0+2.0+6.0	13.2	1.6+2.0+2.0+4.0	9.6	2.0+2.0+4.0	8.0				
1.6+1.6+2.0+2.0+7.0	14.2	1.6+2.0+2.0+5.0	10.6	2.0+2.0+5.0	9.0				
1.6+1.6+2.0+2.5+2.5	10.2	1.6+2.0+2.0+6.0	11.6	2.0+2.0+6.0	10.0				
1.6+1.6+2.0+2.5+2.8	10.5	1.6+2.0+2.0+7.0	12.6	2.0+2.0+7.0	11.0				
1.6+1.6+2.0+2.5+3.2	10.9	1.6+2.0+2.5+2.5	8.6	2.0+2.5+2.5	7.0				
1.6+1.6+2.0+2.5+4.0	11.7	1.6+2.0+2.5+2.8	8.9	2.0+2.5+2.8	7.3				
1.6+1.6+2.0+2.5+5.0	12.7	1.6+2.0+2.5+3.2	9.3	2.0+2.5+3.2	7.7				
1.6+1.6+2.0+2.5+6.0	13.7	1.6+2.0+2.5+4.0	10.1	2.0+2.5+4.0	8.5				
1.6+1.6+2.0+2.5+7.0	14.7	1.6+2.0+2.5+5.0	11.1	2.0+2.5+5.0	9.5				

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6+2.0+2.8+2.8	10.8	1.6+2.0+2.5+6.0	12.1	2.0+2.5+6.0	10.5				
1.6+1.6+2.0+2.8+3.2	11.2	1.6+2.0+2.5+7.0	13.1	2.0+2.5+7.0	11.5				
1.6+1.6+2.0+2.8+4.0	12.0	1.6+2.0+2.8+2.8	9.2	2.0+2.8+2.8	7.6				
1.6+1.6+2.0+2.8+5.0	13.0	1.6+2.0+2.8+3.2	9.6	2.0+2.8+3.2	8.0				
1.6+1.6+2.0+2.8+6.0	14.0	1.6+2.0+2.8+4.0	10.4	2.0+2.8+4.0	8.8				
1.6+1.6+2.0+2.8+7.0	15.0	1.6+2.0+2.8+5.0	11.4	2.0+2.8+5.0	9.8				
1.6+1.6+2.0+3.2+3.2	11.6	1.6+2.0+2.8+6.0	12.4	2.0+2.8+6.0	10.8				
1.6+1.6+2.0+3.2+4.0	12.4	1.6+2.0+2.8+7.0	13.4	2.0+2.8+7.0	11.8				
1.6+1.6+2.0+3.2+5.0	13.4	1.6+2.0+3.2+3.2	10.0	2.0+3.2+3.2	8.4				
1.6+1.6+2.0+3.2+6.0	14.4	1.6+2.0+3.2+4.0	10.8	2.0+3.2+4.0	9.2				
1.6+1.6+2.0+3.2+7.0	15.4	1.6+2.0+3.2+5.0	11.8	2.0+3.2+5.0	10.2				
1.6+1.6+2.0+4.0+4.0	13.2	1.6+2.0+3.2+6.0	12.8	2.0+3.2+6.0	11.2				
1.6+1.6+2.0+4.0+5.0	14.2	1.6+2.0+3.2+7.0	13.8	2.0+3.2+7.0	12.2				
1.6+1.6+2.0+4.0+6.0	15.2	1.6+2.0+4.0+4.0	11.6	2.0+4.0+4.0	10.0				
1.6+1.6+2.0+4.0+7.0	16.2	1.6+2.0+4.0+5.0	12.6	2.0+4.0+5.0	11.0				
1.6+1.6+2.0+5.0+5.0	15.2	1.6+2.0+4.0+6.0	13.6	2.0+4.0+6.0	12.0				
1.6+1.6+2.0+5.0+6.0	16.2	1.6+2.0+4.0+7.0	14.6	2.0+4.0+7.0	13.0				
1.6+1.6+2.0+5.0+7.0	17.2	1.6+2.0+5.0+5.0	13.6	2.0+5.0+5.0	12.0				
1.6+1.6+2.0+6.0+6.0	17.2	1.6+2.0+5.0+6.0	14.6	2.0+5.0+6.0	13.0				
1.6+1.6+2.5+2.5+2.5	10.7	1.6+2.0+5.0+7.0	15.6	2.0+5.0+7.0	14.0				
1.6+1.6+2.5+2.5+2.8	11.0	1.6+2.0+6.0+6.0	15.6	2.0+6.0+6.0	14.0				
1.6+1.6+2.5+2.5+3.2	11.4	1.6+2.0+6.0+7.0	16.6	2.0+6.0+7.0	15.0				
1.6+1.6+2.5+2.5+4.0	12.2	1.6+2.5+2.5+2.5	9.1	2.0+7.0+7.0	16.0				
1.6+1.6+2.5+2.5+5.0	13.2	1.6+2.5+2.5+2.8	9.4	2.5+2.5+2.5	7.5				
1.6+1.6+2.5+2.5+6.0	14.2	1.6+2.5+2.5+3.2	9.8	2.5+2.5+2.8	7.8				
1.6+1.6+2.5+2.5+7.0	15.2	1.6+2.5+2.5+4.0	10.6	2.5+2.5+3.2	8.2				
1.6+1.6+2.5+2.8+2.8	11.3	1.6+2.5+2.5+5.0	11.6	2.5+2.5+4.0	9.0				
1.6+1.6+2.5+2.8+3.2	11.7	1.6+2.5+2.5+6.0	12.6	2.5+2.5+5.0	10.0				
1.6+1.6+2.5+2.8+4.0	12.5	1.6+2.5+2.5+7.0	13.6	2.5+2.5+6.0	11.0				
1.6+1.6+2.5+2.8+5.0	13.5	1.6+2.5+2.8+2.8	9.7	2.5+2.5+7.0	12.0				
1.6+1.6+2.5+2.8+6.0	14.5	1.6+2.5+2.8+3.2	10.1	2.5+2.8+2.8	8.1				
1.6+1.6+2.5+2.8+7.0	15.5	1.6+2.5+2.8+4.0	10.9	2.5+2.8+3.2	8.5				
1.6+1.6+2.5+3.2+3.2	12.1	1.6+2.5+2.8+5.0	11.9	2.5+2.8+4.0	9.3				
1.6+1.6+2.5+3.2+4.0	12.9	1.6+2.5+2.8+6.0	12.9	2.5+2.8+5.0	10.3				
1.6+1.6+2.5+3.2+5.0	13.9	1.6+2.5+2.8+7.0	13.9	2.5+2.8+6.0	11.3				
1.6+1.6+2.5+3.2+6.0	14.9	1.6+2.5+3.2+3.2	10.5	2.5+2.8+7.0	12.3				
1.6+1.6+2.5+3.2+7.0	15.9	1.6+2.5+3.2+4.0	11.3	2.5+3.2+3.2	8.9				
1.6+1.6+2.5+4.0+4.0	13.7	1.6+2.5+3.2+5.0	12.3	2.5+3.2+4.0	9.7				
1.6+1.6+2.5+4.0+5.0	14.7	1.6+2.5+3.2+6.0	13.3	2.5+3.2+5.0	10.7				
1.6+1.6+2.5+4.0+6.0	15.7	1.6+2.5+3.2+7.0	14.3	2.5+3.2+6.0	11.7				
1.6+1.6+2.5+4.0+7.0	16.7	1.6+2.5+4.0+4.0	12.1	2.5+3.2+7.0	12.7				
1.6+1.6+2.5+5.0+5.0	15.7	1.6+2.5+4.0+5.0	13.1	2.5+4.0+4.0	10.5				
1.6+1.6+2.5+5.0+6.0	16.7	1.6+2.5+4.0+6.0	14.1	2.5+4.0+5.0	11.5				
1.6+1.6+2.8+2.8+2.8	11.6	1.6+2.5+4.0+7.0	15.1	2.5+4.0+6.0	12.5				
1.6+1.6+2.8+2.8+3.2	12.0	1.6+2.5+5.0+5.0	14.1	2.5+4.0+7.0	13.5				
1.6+1.6+2.8+2.8+4.0	12.8	1.6+2.5+5.0+6.0	15.1	2.5+5.0+5.0	12.5				
1.6+1.6+2.8+2.8+5.0	13.8	1.6+2.5+5.0+7.0	16.1	2.5+5.0+6.0	13.5				
1.6+1.6+2.8+2.8+6.0	14.8	1.6+2.5+5.0+6.0	16.1	2.5+5.0+7.0	14.5				
1.6+1.6+2.8+2.8+7.0	15.8	1.6+2.5+5.0+7.0	17.1	2.5+6.0+6.0	14.5				
1.6+1.6+2.8+3.2+3.2	12.4	1.6+2.8+2.8+2.8	10.0	2.5+6.0+7.0	15.5				
1.6+1.6+2.8+3.2+4.0	13.2	1.6+2.8+2.8+3.2	10.4	2.5+7.0+7.0	16.5				
1.6+1.6+2.8+3.2+5.0	14.2	1.6+2.8+2.8+4.0	11.2	2.8+2.8+2.8	8.4				
1.6+1.6+2.8+3.2+6.0	15.2	1.6+2.8+2.8+5.0	12.2	2.8+2.8+3.2	8.8				
1.6+1.6+2.8+3.2+7.0	16.2	1.6+2.8+2.8+6.0	13.2	2.8+2.8+4.0	9.6				
1.6+1.6+2.8+4.0+4.0	14.0	1.6+2.8+2.8+7.0	14.2	2.8+2.8+5.0	10.6				
1.6+1.6+2.8+4.0+5.0	15.0	1.6+2.8+3.2+3.2	10.8	2.8+2.8+6.0	11.6				
1.6+1.6+2.8+4.0+6.0	16.0	1.6+2.8+3.2+4.0	11.6	2.8+2.8+7.0	12.6				
1.6+1.6+2.8+4.0+7.0	17.0	1.6+2.8+3.2+5.0	12.6	2.8+3.2+3.2	9.2				
1.6+1.6+2.8+5.0+5.0	16.0	1.6+2.8+3.2+6.0	13.6	2.8+3.2+4.0	10.0				
1.6+1.6+2.8+5.0+6.0	17.0	1.6+2.8+3.2+7.0	14.6	2.8+3.2+5.0	11.0				
1.6+1.6+3.2+3.2+3.2	12.8	1.6+2.8+4.0+4.0	12.4	2.8+3.2+6.0	12.0				

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+1.6+3.2+3.2+4.0	13.6	1.6+2.8+4.0+5.0	13.4	2.8+3.2+7.0	13.0				
1.6+1.6+3.2+3.2+5.0	14.6	1.6+2.8+4.0+6.0	14.4	2.8+4.0+4.0	10.8				
1.6+1.6+3.2+3.2+6.0	15.6	1.6+2.8+4.0+7.0	15.4	2.8+4.0+5.0	11.8				
1.6+1.6+3.2+3.2+7.0	16.6	1.6+2.8+5.0+5.0	14.4	2.8+4.0+6.0	12.8				
1.6+1.6+3.2+4.0+4.0	14.4	1.6+2.8+5.0+6.0	15.4	2.8+4.0+7.0	13.8				
1.6+1.6+3.2+4.0+5.0	15.4	1.6+2.8+5.0+7.0	16.4	2.8+5.0+5.0	12.8				
1.6+1.6+3.2+4.0+6.0	16.4	1.6+2.8+6.0+6.0	16.4	2.8+5.0+6.0	13.8				
1.6+1.6+3.2+4.0+7.0	17.4	1.6+2.8+6.0+7.0	17.4	2.8+5.0+7.0	14.8				
1.6+1.6+3.2+5.0+5.0	16.4	1.6+3.2+3.2+3.2	11.2	2.8+6.0+6.0	14.8				
1.6+1.6+3.2+5.0+6.0	17.4	1.6+3.2+3.2+4.0	12.0	2.8+6.0+7.0	15.8				
1.6+1.6+4.0+4.0+4.0	15.2	1.6+3.2+3.2+5.0	13.0	2.8+7.0+7.0	16.8				
1.6+1.6+4.0+4.0+5.0	16.2	1.6+3.2+3.2+6.0	14.0	3.2+3.2+3.2	9.6				
1.6+1.6+4.0+4.0+6.0	17.2	1.6+3.2+3.2+7.0	15.0	3.2+3.2+4.0	10.4				
1.6+1.6+4.0+5.0+5.0	17.2	1.6+3.2+4.0+4.0	12.8	3.2+3.2+5.0	11.4				
1.6+2.0+2.0+2.0+2.0	9.6	1.6+3.2+4.0+5.0	13.8	3.2+3.2+6.0	12.4				
1.6+2.0+2.0+2.0+2.5	10.1	1.6+3.2+4.0+6.0	14.8	3.2+3.2+7.0	13.4				
1.6+2.0+2.0+2.0+2.8	10.4	1.6+3.2+4.0+7.0	15.8	3.2+4.0+4.0	11.2				
1.6+2.0+2.0+2.0+3.2	10.8	1.6+3.2+5.0+5.0	14.8	3.2+4.0+5.0	12.2				
1.6+2.0+2.0+2.0+4.0	11.6	1.6+3.2+5.0+6.0	15.8	3.2+4.0+6.0	13.2				
1.6+2.0+2.0+2.0+5.0	12.6	1.6+3.2+5.0+7.0	16.8	3.2+4.0+7.0	14.2				
1.6+2.0+2.0+2.0+6.0	13.6	1.6+3.2+6.0+6.0	16.8	3.2+5.0+5.0	13.2				
1.6+2.0+2.0+2.0+7.0	14.6	1.6+4.0+4.0+4.0	13.6	3.2+5.0+6.0	14.2				
1.6+2.0+2.0+2.5+2.5	10.6	1.6+4.0+4.0+5.0	14.6	3.2+5.0+7.0	15.2				
1.6+2.0+2.0+2.5+2.8	10.9	1.6+4.0+4.0+6.0	15.6	3.2+6.0+6.0	15.2				
1.6+2.0+2.0+2.5+3.2	11.3	1.6+4.0+4.0+7.0	16.6	3.2+6.0+7.0	16.2				
1.6+2.0+2.0+2.5+4.0	12.1	1.6+4.0+5.0+5.0	15.6	3.2+7.0+7.0	17.2				
1.6+2.0+2.0+2.5+5.0	13.1	1.6+4.0+5.0+6.0	16.6	4.0+4.0+4.0	12.0				
1.6+2.0+2.0+2.5+6.0	14.1	1.6+5.0+5.0+5.0	16.6	4.0+4.0+5.0	13.0				
1.6+2.0+2.0+2.5+7.0	15.1	2.0+2.0+2.0+2.0	8.0	4.0+4.0+6.0	14.0				
1.6+2.0+2.0+2.8+2.8	11.2	2.0+2.0+2.0+2.5	8.5	4.0+4.0+7.0	15.0				
1.6+2.0+2.0+2.8+3.2	11.6	2.0+2.0+2.0+2.8	8.8	4.0+5.0+5.0	14.0				
1.6+2.0+2.0+2.8+4.0	12.4	2.0+2.0+2.0+3.2	9.2	4.0+5.0+6.0	15.0				
1.6+2.0+2.0+2.8+5.0	13.4	2.0+2.0+2.0+4.0	10.0	4.0+5.0+7.0	16.0				
1.6+2.0+2.0+2.8+6.0	14.4	2.0+2.0+2.0+5.0	11.0	4.0+6.0+6.0	16.0				
1.6+2.0+2.0+2.8+7.0	15.4	2.0+2.0+2.0+6.0	12.0	4.0+6.0+7.0	17.0				
1.6+2.0+2.0+3.2+3.2	12.0	2.0+2.0+2.0+7.0	13.0	5.0+5.0+5.0	15.0				
1.6+2.0+2.0+3.2+4.0	12.8	2.0+2.0+2.5+2.5	9.0	5.0+5.0+6.0	16.0				
1.6+2.0+2.0+3.2+5.0	13.8	2.0+2.0+2.5+2.8	9.3	5.0+5.0+7.0	17.0				
1.6+2.0+2.0+3.2+6.0	14.8	2.0+2.0+2.5+3.2	9.7	5.0+6.0+6.0	17.0				
1.6+2.0+2.0+3.2+7.0	15.8	2.0+2.0+2.5+4.0	10.5						
1.6+2.0+2.0+4.0+4.0	13.6	2.0+2.0+2.5+5.0	11.5						
1.6+2.0+2.0+4.0+5.0	14.6	2.0+2.0+2.5+6.0	12.5						
1.6+2.0+2.0+4.0+6.0	15.6	2.0+2.0+2.5+7.0	13.5						
1.6+2.0+2.0+4.0+7.0	16.6	2.0+2.0+2.8+2.8	9.6						
1.6+2.0+2.0+5.0+5.0	15.6	2.0+2.0+2.8+3.2	10.0						
1.6+2.0+2.0+5.0+6.0	16.6	2.0+2.0+2.8+4.0	10.8						
1.6+2.0+2.5+2.5+2.5	11.1	2.0+2.0+2.8+5.0	11.8						
1.6+2.0+2.5+2.5+2.8	11.4	2.0+2.0+2.8+6.0	12.8						
1.6+2.0+2.5+2.5+3.2	11.8	2.0+2.0+2.8+7.0	13.8						
1.6+2.0+2.5+2.5+4.0	12.6	2.0+2.0+3.2+3.2	10.4						
1.6+2.0+2.5+2.5+5.0	13.6	2.0+2.0+3.2+4.0	11.2						
1.6+2.0+2.5+2.5+6.0	14.6	2.0+2.0+3.2+5.0	12.2						
1.6+2.0+2.5+2.5+7.0	15.6	2.0+2.0+3.2+6.0	13.2						
1.6+2.0+2.5+2.8+2.8	11.7	2.0+2.0+3.2+7.0	14.2						
1.6+2.0+2.5+2.8+3.2	12.1	2.0+2.0+4.0+4.0	12.0						
1.6+2.0+2.5+2.8+4.0	12.9	2.0+2.0+4.0+5.0	13.0						
1.6+2.0+2.5+2.8+5.0	13.9	2.0+2.0+4.0+6.0	14.0						
1.6+2.0+2.5+2.8+6.0	14.9	2.0+2.0+4.0+7.0	15.0						
1.6+2.0+2.5+2.8+7.0	15.9	2.0+2.0+5.0+5.0	14.0						
1.6+2.0+2.5+3.2+3.2	12.5	2.0+2.0+5.0+6.0	15.0						
1.6+2.0+2.5+3.2+4.0	13.3	2.0+2.0+5.0+7.0	16.0						

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+2.0+2.5+3.2+5.0	14.3	2.0+2.0+6.0+6.0	16.0						
1.6+2.0+2.5+3.2+6.0	15.3	2.0+2.0+6.0+7.0	17.0						
1.6+2.0+2.5+3.2+7.0	16.3	2.0+2.5+2.5+2.5	9.5						
1.6+2.0+2.5+4.0+4.0	14.1	2.0+2.5+2.5+2.8	9.8						
1.6+2.0+2.5+4.0+5.0	15.1	2.0+2.5+2.5+3.2	10.2						
1.6+2.0+2.5+4.0+6.0	16.1	2.0+2.5+2.5+4.0	11.0						
1.6+2.0+2.5+4.0+7.0	17.1	2.0+2.5+2.5+5.0	12.0						
1.6+2.0+2.5+5.0+5.0	16.1	2.0+2.5+2.5+6.0	13.0						
1.6+2.0+2.5+5.0+6.0	17.1	2.0+2.5+2.5+7.0	14.0						
1.6+2.0+2.8+2.8+2.8	12.0	2.0+2.5+2.8+2.8	10.1						
1.6+2.0+2.8+2.8+3.2	12.4	2.0+2.5+2.8+3.2	10.5						
1.6+2.0+2.8+2.8+4.0	13.2	2.0+2.5+2.8+4.0	11.3						
1.6+2.0+2.8+2.8+5.0	14.2	2.0+2.5+2.8+5.0	12.3						
1.6+2.0+2.8+2.8+6.0	15.2	2.0+2.5+2.8+6.0	13.3						
1.6+2.0+2.8+2.8+7.0	16.2	2.0+2.5+2.8+7.0	14.3						
1.6+2.0+2.8+3.2+3.2	12.8	2.0+2.5+3.2+3.2	10.9						
1.6+2.0+2.8+3.2+4.0	13.6	2.0+2.5+3.2+4.0	11.7						
1.6+2.0+2.8+3.2+5.0	14.6	2.0+2.5+3.2+5.0	12.7						
1.6+2.0+2.8+3.2+6.0	15.6	2.0+2.5+3.2+6.0	13.7						
1.6+2.0+2.8+3.2+7.0	16.6	2.0+2.5+3.2+7.0	14.7						
1.6+2.0+2.8+4.0+4.0	14.4	2.0+2.5+4.0+4.0	12.5						
1.6+2.0+2.8+4.0+5.0	15.4	2.0+2.5+4.0+5.0	13.5						
1.6+2.0+2.8+4.0+6.0	16.4	2.0+2.5+4.0+6.0	14.5						
1.6+2.0+2.8+4.0+7.0	17.4	2.0+2.5+4.0+7.0	15.5						
1.6+2.0+2.8+5.0+5.0	16.4	2.0+2.5+5.0+5.0	14.5						
1.6+2.0+2.8+5.0+6.0	17.4	2.0+2.5+5.0+6.0	15.5						
1.6+2.0+3.2+3.2+3.2	13.2	2.0+2.5+5.0+7.0	16.5						
1.6+2.0+3.2+3.2+4.0	14.0	2.0+2.5+6.0+6.0	16.5						
1.6+2.0+3.2+3.2+5.0	15.0	2.0+2.5+6.0+7.0	17.5						
1.6+2.0+3.2+3.2+6.0	16.0	2.0+2.8+2.8+2.8	10.4						
1.6+2.0+3.2+3.2+7.0	17.0	2.0+2.8+2.8+3.2	10.8						
1.6+2.0+3.2+4.0+4.0	14.8	2.0+2.8+2.8+4.0	11.6						
1.6+2.0+3.2+4.0+5.0	15.8	2.0+2.8+2.8+5.0	12.6						
1.6+2.0+3.2+4.0+6.0	16.8	2.0+2.8+2.8+6.0	13.6						
1.6+2.0+3.2+5.0+5.0	16.8	2.0+2.8+2.8+7.0	14.6						
1.6+2.0+4.0+4.0+4.0	15.6	2.0+2.8+3.2+3.2	11.2						
1.6+2.0+4.0+4.0+5.0	16.6	2.0+2.8+3.2+4.0	12.0						
1.6+2.5+2.5+2.5+2.5	11.6	2.0+2.8+3.2+5.0	13.0						
1.6+2.5+2.5+2.5+2.8	11.9	2.0+2.8+3.2+6.0	14.0						
1.6+2.5+2.5+2.5+3.2	12.3	2.0+2.8+3.2+7.0	15.0						
1.6+2.5+2.5+2.5+4.0	13.1	2.0+2.8+4.0+4.0	12.8						
1.6+2.5+2.5+2.5+5.0	14.1	2.0+2.8+4.0+5.0	13.8						
1.6+2.5+2.5+2.5+6.0	15.1	2.0+2.8+4.0+6.0	14.8						
1.6+2.5+2.5+2.5+7.0	16.1	2.0+2.8+4.0+7.0	15.8						
1.6+2.5+2.5+2.8+2.8	12.2	2.0+2.8+5.0+5.0	14.8						
1.6+2.5+2.5+2.8+3.2	12.6	2.0+2.8+5.0+6.0	15.8						
1.6+2.5+2.5+2.8+4.0	13.4	2.0+2.8+5.0+7.0	16.8						
1.6+2.5+2.5+2.8+5.0	14.4	2.0+2.8+6.0+6.0	16.8						
1.6+2.5+2.5+2.8+6.0	15.4	2.0+3.2+3.2+3.2	11.6						
1.6+2.5+2.5+2.8+7.0	16.4	2.0+3.2+3.2+4.0	12.4						
1.6+2.5+2.5+3.2+3.2	13.0	2.0+3.2+3.2+5.0	13.4						
1.6+2.5+2.5+3.2+4.0	13.8	2.0+3.2+3.2+6.0	14.4						
1.6+2.5+2.5+3.2+5.0	14.8	2.0+3.2+3.2+7.0	15.4						
1.6+2.5+2.5+3.2+6.0	15.8	2.0+3.2+4.0+4.0	13.2						
1.6+2.5+2.5+3.2+7.0	16.8	2.0+3.2+4.0+5.0	14.2						
1.6+2.5+2.5+4.0+4.0	14.6	2.0+3.2+4.0+6.0	15.2						
1.6+2.5+2.5+4.0+5.0	15.6	2.0+3.2+4.0+7.0	16.2						
1.6+2.5+2.5+4.0+6.0	16.6	2.0+3.2+5.0+5.0	15.2						
1.6+2.5+2.5+5.0+5.0	16.6	2.0+3.2+5.0+6.0	16.2						
1.6+2.5+2.8+2.8+2.8	12.5	2.0+3.2+5.0+7.0	17.2						
1.6+2.5+2.8+2.8+3.2	12.9	2.0+3.2+6.0+6.0	17.2						

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
1.6+2.5+2.8+2.8+4.0	13.7	2.0+4.0+4.0+4.0	14.0						
1.6+2.5+2.8+2.8+5.0	14.7	2.0+4.0+4.0+5.0	15.0						
1.6+2.5+2.8+2.8+6.0	15.7	2.0+4.0+4.0+6.0	16.0						
1.6+2.5+2.8+2.8+7.0	16.7	2.0+4.0+4.0+7.0	17.0						
1.6+2.5+2.8+3.2+3.2	13.3	2.0+4.0+5.0+5.0	16.0						
1.6+2.5+2.8+3.2+4.0	14.1	2.0+4.0+5.0+6.0	17.0						
1.6+2.5+2.8+3.2+5.0	15.1	2.0+5.0+5.0+5.0	17.0						
1.6+2.5+2.8+3.2+6.0	16.1	2.5+2.5+2.5+2.5	10.0						
1.6+2.5+2.8+3.2+7.0	17.1	2.5+2.5+2.5+2.8	10.3						
1.6+2.5+2.8+4.0+4.0	14.9	2.5+2.5+2.5+3.2	10.7						
1.6+2.5+2.8+4.0+5.0	15.9	2.5+2.5+2.5+4.0	11.5						
1.6+2.5+2.8+4.0+6.0	16.9	2.5+2.5+2.5+5.0	12.5						
1.6+2.5+2.8+5.0+5.0	16.9	2.5+2.5+2.5+6.0	13.5						
1.6+2.5+3.2+3.2+3.2	13.7	2.5+2.5+2.5+7.0	14.5						
1.6+2.5+3.2+3.2+4.0	14.5	2.5+2.5+2.8+2.8	10.6						
1.6+2.5+3.2+3.2+5.0	15.5	2.5+2.5+2.8+3.2	11.0						
1.6+2.5+3.2+3.2+6.0	16.5	2.5+2.5+2.8+4.0	11.8						
1.6+2.5+3.2+3.2+7.0	17.5	2.5+2.5+2.8+5.0	12.8						
1.6+2.5+3.2+4.0+4.0	15.3	2.5+2.5+2.8+6.0	13.8						
1.6+2.5+3.2+4.0+5.0	16.3	2.5+2.5+2.8+7.0	14.8						
1.6+2.5+3.2+4.0+6.0	17.3	2.5+2.5+3.2+3.2	11.4						
1.6+2.5+3.2+5.0+5.0	17.3	2.5+2.5+3.2+4.0	12.2						
1.6+2.5+4.0+4.0+4.0	16.1	2.5+2.5+3.2+5.0	13.2						
1.6+2.5+4.0+4.0+5.0	17.1	2.5+2.5+3.2+6.0	14.2						
1.6+2.8+2.8+2.8+2.8	12.8	2.5+2.5+3.2+7.0	15.2						
1.6+2.8+2.8+2.8+3.2	13.2	2.5+2.5+4.0+4.0	13.0						
1.6+2.8+2.8+2.8+4.0	14.0	2.5+2.5+4.0+5.0	14.0						
1.6+2.8+2.8+2.8+5.0	15.0	2.5+2.5+4.0+6.0	15.0						
1.6+2.8+2.8+2.8+6.0	16.0	2.5+2.5+4.0+7.0	16.0						
1.6+2.8+2.8+2.8+7.0	17.0	2.5+2.5+5.0+5.0	15.0						
1.6+2.8+2.8+3.2+3.2	13.6	2.5+2.5+5.0+6.0	16.0						
1.6+2.8+2.8+3.2+4.0	14.4	2.5+2.5+5.0+7.0	17.0						
1.6+2.8+2.8+3.2+5.0	15.4	2.5+2.5+6.0+6.0	17.0						
1.6+2.8+2.8+3.2+6.0	16.4	2.5+2.8+2.8+2.8	10.9						
1.6+2.8+2.8+3.2+7.0	17.4	2.5+2.8+2.8+3.2	11.3						
1.6+2.8+2.8+4.0+4.0	15.2	2.5+2.8+2.8+4.0	12.1						
1.6+2.8+2.8+4.0+5.0	16.2	2.5+2.8+2.8+5.0	13.1						
1.6+2.8+2.8+4.0+6.0	17.2	2.5+2.8+2.8+6.0	14.1						
1.6+2.8+2.8+5.0+5.0	17.2	2.5+2.8+2.8+7.0	15.1						
1.6+2.8+3.2+3.2+3.2	14.0	2.5+2.8+3.2+3.2	11.7						
1.6+2.8+3.2+3.2+4.0	14.8	2.5+2.8+3.2+4.0	12.5						
1.6+2.8+3.2+3.2+5.0	15.8	2.5+2.8+3.2+5.0	13.5						
1.6+2.8+3.2+3.2+6.0	16.8	2.5+2.8+3.2+6.0	14.5						
1.6+2.8+3.2+4.0+4.0	15.6	2.5+2.8+3.2+7.0	15.5						
1.6+2.8+3.2+4.0+5.0	16.6	2.5+2.8+4.0+4.0	13.3						
1.6+2.8+4.0+4.0+4.0	16.4	2.5+2.8+4.0+5.0	14.3						
1.6+2.8+4.0+4.0+5.0	17.4	2.5+2.8+4.0+6.0	15.3						
1.6+3.2+3.2+3.2+3.2	14.4	2.5+2.8+4.0+7.0	16.3						
1.6+3.2+3.2+3.2+4.0	15.2	2.5+2.8+5.0+5.0	15.3						
1.6+3.2+3.2+3.2+5.0	16.2	2.5+2.8+5.0+6.0	16.3						
1.6+3.2+3.2+3.2+6.0	17.2	2.5+2.8+5.0+7.0	17.3						
1.6+3.2+3.2+4.0+4.0	16.0	2.5+2.8+6.0+6.0	17.3						
1.6+3.2+3.2+4.0+5.0	17.0	2.5+3.2+3.2+3.2	12.1						
1.6+3.2+4.0+4.0+4.0	16.8	2.5+3.2+3.2+4.0	12.9						
2.0+2.0+2.0+2.0+2.0	10.0	2.5+3.2+3.2+5.0	13.9						
2.0+2.0+2.0+2.0+2.5	10.5	2.5+3.2+3.2+6.0	14.9						
2.0+2.0+2.0+2.0+2.8	10.8	2.5+3.2+3.2+7.0	15.9						
2.0+2.0+2.0+2.0+3.2	11.2	2.5+3.2+4.0+4.0	13.7						
2.0+2.0+2.0+2.0+4.0	12.0	2.5+3.2+4.0+5.0	14.7						
2.0+2.0+2.0+2.0+5.0	13.0	2.5+3.2+4.0+6.0	15.7						
2.0+2.0+2.0+2.0+6.0	14.0	2.5+3.2+4.0+7.0	16.7						

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
2.0+2.0+2.0+2.0+7.0	15.0	2.5+3.2+5.0+5.0	15.7						
2.0+2.0+2.0+2.5+2.5	11.0	2.5+3.2+5.0+6.0	16.7						
2.0+2.0+2.0+2.5+2.8	11.3	2.5+4.0+4.0+4.0	14.5						
2.0+2.0+2.0+2.5+3.2	11.7	2.5+4.0+4.0+5.0	15.5						
2.0+2.0+2.0+2.5+4.0	12.5	2.5+4.0+4.0+6.0	16.5						
2.0+2.0+2.0+2.5+5.0	13.5	2.5+4.0+4.0+7.0	17.5						
2.0+2.0+2.0+2.5+6.0	14.5	2.5+4.0+5.0+5.0	16.5						
2.0+2.0+2.0+2.5+7.0	15.5	2.5+4.0+5.0+6.0	17.5						
2.0+2.0+2.0+2.8+2.8	11.6	2.5+5.0+5.0+5.0	17.5						
2.0+2.0+2.0+2.8+3.2	12.0	2.8+2.8+2.8+2.8	11.2						
2.0+2.0+2.0+2.8+4.0	12.8	2.8+2.8+2.8+3.2	11.6						
2.0+2.0+2.0+2.8+5.0	13.8	2.8+2.8+2.8+4.0	12.4						
2.0+2.0+2.0+2.8+6.0	14.8	2.8+2.8+2.8+5.0	13.4						
2.0+2.0+2.0+2.8+7.0	15.8	2.8+2.8+2.8+6.0	14.4						
2.0+2.0+2.0+3.2+3.2	12.4	2.8+2.8+2.8+7.0	15.4						
2.0+2.0+2.0+3.2+4.0	13.2	2.8+2.8+3.2+3.2	12.0						
2.0+2.0+2.0+3.2+5.0	14.2	2.8+2.8+3.2+4.0	12.8						
2.0+2.0+2.0+3.2+6.0	15.2	2.8+2.8+3.2+5.0	13.8						
2.0+2.0+2.0+3.2+7.0	16.2	2.8+2.8+3.2+6.0	14.8						
2.0+2.0+2.0+4.0+4.0	14.0	2.8+2.8+3.2+7.0	15.8						
2.0+2.0+2.0+4.0+5.0	15.0	2.8+2.8+4.0+4.0	13.6						
2.0+2.0+2.0+4.0+6.0	16.0	2.8+2.8+4.0+5.0	14.6						
2.0+2.0+2.0+4.0+7.0	17.0	2.8+2.8+4.0+6.0	15.6						
2.0+2.0+2.0+5.0+5.0	16.0	2.8+2.8+4.0+7.0	16.6						
2.0+2.0+2.0+5.0+6.0	17.0	2.8+2.8+5.0+5.0	15.6						
2.0+2.0+2.5+2.5+2.5	11.5	2.8+2.8+5.0+6.0	16.6						
2.0+2.0+2.5+2.5+2.8	11.8	2.8+3.2+3.2+3.2	12.4						
2.0+2.0+2.5+2.5+3.2	12.2	2.8+3.2+3.2+4.0	13.2						
2.0+2.0+2.5+2.5+4.0	13.0	2.8+3.2+3.2+5.0	14.2						
2.0+2.0+2.5+2.5+5.0	14.0	2.8+3.2+3.2+6.0	15.2						
2.0+2.0+2.5+2.5+6.0	15.0	2.8+3.2+3.2+7.0	16.2						
2.0+2.0+2.5+2.5+7.0	16.0	2.8+3.2+4.0+4.0	14.0						
2.0+2.0+2.5+2.8+2.8	12.1	2.8+3.2+4.0+5.0	15.0						
2.0+2.0+2.5+2.8+3.2	12.5	2.8+3.2+4.0+6.0	16.0						
2.0+2.0+2.5+2.8+4.0	13.3	2.8+3.2+4.0+7.0	17.0						
2.0+2.0+2.5+2.8+5.0	14.3	2.8+3.2+5.0+5.0	16.0						
2.0+2.0+2.5+2.8+6.0	15.3	2.8+3.2+5.0+6.0	17.0						
2.0+2.0+2.5+2.8+7.0	16.3	2.8+4.0+4.0+4.0	14.8						
2.0+2.0+2.5+3.2+3.2	12.9	2.8+4.0+4.0+5.0	15.8						
2.0+2.0+2.5+3.2+4.0	13.7	2.8+4.0+4.0+6.0	16.8						
2.0+2.0+2.5+3.2+5.0	14.7	2.8+4.0+5.0+5.0	16.8						
2.0+2.0+2.5+3.2+6.0	15.7	3.2+3.2+3.2+3.2	12.8						
2.0+2.0+2.5+3.2+7.0	16.7	3.2+3.2+3.2+4.0	13.6						
2.0+2.0+2.5+4.0+4.0	14.5	3.2+3.2+3.2+5.0	14.6						
2.0+2.0+2.5+4.0+5.0	15.5	3.2+3.2+3.2+6.0	15.6						
2.0+2.0+2.5+4.0+6.0	16.5	3.2+3.2+3.2+7.0	16.6						
2.0+2.0+2.5+4.0+7.0	17.5	3.2+3.2+4.0+4.0	14.4						
2.0+2.0+2.5+5.0+5.0	16.5	3.2+3.2+4.0+5.0	15.4						
2.0+2.0+2.5+5.0+6.0	17.5	3.2+3.2+4.0+6.0	16.4						
2.0+2.0+2.8+2.8+2.8	12.4	3.2+3.2+4.0+7.0	17.4						
2.0+2.0+2.8+2.8+3.2	12.8	3.2+3.2+5.0+5.0	16.4						
2.0+2.0+2.8+2.8+4.0	13.6	3.2+3.2+5.0+6.0	17.4						
2.0+2.0+2.8+2.8+5.0	14.6	3.2+4.0+4.0+4.0	15.2						
2.0+2.0+2.8+2.8+6.0	15.6	3.2+4.0+4.0+5.0	16.2						
2.0+2.0+2.8+2.8+7.0	16.6	3.2+4.0+4.0+6.0	17.2						
2.0+2.0+2.8+3.2+3.2	13.2	3.2+4.0+5.0+5.0	17.2						
2.0+2.0+2.8+3.2+4.0	14.0	4.0+4.0+4.0+4.0	16.0						
2.0+2.0+2.8+3.2+5.0	15.0	4.0+4.0+4.0+5.0	17.0						
2.0+2.0+2.8+3.2+6.0	16.0								
2.0+2.0+2.8+3.2+7.0	17.0								
2.0+2.0+2.8+4.0+4.0	14.8								

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
2.0+2.0+2.8+4.0+5.0	15.8								
2.0+2.0+2.8+4.0+6.0	16.8								
2.0+2.0+2.8+5.0+5.0	16.8								
2.0+2.0+3.2+3.2+3.2	13.6								
2.0+2.0+3.2+3.2+4.0	14.4								
2.0+2.0+3.2+3.2+5.0	15.4								
2.0+2.0+3.2+3.2+6.0	16.4								
2.0+2.0+3.2+3.2+7.0	17.4								
2.0+2.0+3.2+4.0+4.0	15.2								
2.0+2.0+3.2+4.0+5.0	16.2								
2.0+2.0+3.2+4.0+6.0	17.2								
2.0+2.0+3.2+5.0+5.0	17.2								
2.0+2.0+4.0+4.0+4.0	16.0								
2.0+2.0+4.0+4.0+5.0	17.0								
2.0+2.5+2.5+2.5+2.5	12.0								
2.0+2.5+2.5+2.5+2.8	12.3								
2.0+2.5+2.5+2.5+3.2	12.7								
2.0+2.5+2.5+2.5+4.0	13.5								
2.0+2.5+2.5+2.5+5.0	14.5								
2.0+2.5+2.5+2.5+6.0	15.5								
2.0+2.5+2.5+2.5+7.0	16.5								
2.0+2.5+2.5+2.8+2.8	12.6								
2.0+2.5+2.5+2.8+3.2	13.0								
2.0+2.5+2.5+2.8+4.0	13.8								
2.0+2.5+2.5+2.8+5.0	14.8								
2.0+2.5+2.5+2.8+6.0	15.8								
2.0+2.5+2.5+2.8+7.0	16.8								
2.0+2.5+2.5+3.2+3.2	13.4								
2.0+2.5+2.5+3.2+4.0	14.2								
2.0+2.5+2.5+3.2+5.0	15.2								
2.0+2.5+2.5+3.2+6.0	16.2								
2.0+2.5+2.5+3.2+7.0	17.2								
2.0+2.5+2.5+4.0+4.0	15.0								
2.0+2.5+2.5+4.0+5.0	16.0								
2.0+2.5+2.5+4.0+6.0	17.0								
2.0+2.5+2.5+5.0+5.0	17.0								
2.0+2.5+2.8+2.8+2.8	12.9								
2.0+2.5+2.8+2.8+3.2	13.3								
2.0+2.5+2.8+2.8+4.0	14.1								
2.0+2.5+2.8+2.8+5.0	15.1								
2.0+2.5+2.8+2.8+6.0	16.1								
2.0+2.5+2.8+2.8+7.0	17.1								
2.0+2.5+2.8+3.2+3.2	13.7								
2.0+2.5+2.8+3.2+4.0	14.5								
2.0+2.5+2.8+3.2+5.0	15.5								
2.0+2.5+2.8+3.2+6.0	16.5								
2.0+2.5+2.8+3.2+7.0	17.5								
2.0+2.5+2.8+4.0+4.0	15.3								
2.0+2.5+2.8+4.0+5.0	16.3								
2.0+2.5+2.8+4.0+6.0	17.3								
2.0+2.5+2.8+5.0+5.0	17.3								
2.0+2.5+3.2+3.2+3.2	14.1								
2.0+2.5+3.2+3.2+4.0	14.9								
2.0+2.5+3.2+3.2+5.0	15.9								
2.0+2.5+3.2+3.2+6.0	16.9								
2.0+2.5+3.2+4.0+4.0	15.7								
2.0+2.5+3.2+4.0+5.0	16.7								
2.0+2.5+4.0+4.0+4.0	16.5								
2.0+2.5+4.0+4.0+5.0	17.5								
2.0+2.8+2.8+2.8+2.8	13.2								
2.0+2.8+2.8+2.8+3.2	13.6								

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
2.0+2.8+2.8+2.8+4.0	14.4								
2.0+2.8+2.8+2.8+5.0	15.4								
2.0+2.8+2.8+2.8+6.0	16.4								
2.0+2.8+2.8+2.8+7.0	17.4								
2.0+2.8+2.8+3.2+3.2	14.0								
2.0+2.8+2.8+3.2+4.0	14.8								
2.0+2.8+2.8+3.2+5.0	15.8								
2.0+2.8+2.8+3.2+6.0	16.8								
2.0+2.8+2.8+4.0+4.0	15.6								
2.0+2.8+2.8+4.0+5.0	16.6								
2.0+2.8+3.2+3.2+3.2	14.4								
2.0+2.8+3.2+3.2+4.0	15.2								
2.0+2.8+3.2+3.2+5.0	16.2								
2.0+2.8+3.2+3.2+6.0	17.2								
2.0+2.8+3.2+4.0+4.0	16.0								
2.0+2.8+3.2+4.0+5.0	17.0								
2.0+2.8+4.0+4.0+4.0	16.8								
2.0+3.2+3.2+3.2+3.2	14.8								
2.0+3.2+3.2+3.2+4.0	15.6								
2.0+3.2+3.2+3.2+5.0	16.6								
2.0+3.2+3.2+4.0+4.0	16.4								
2.0+3.2+3.2+4.0+5.0	17.4								
2.0+3.2+4.0+4.0+4.0	17.2								
2.5+2.5+2.5+2.5+2.5	12.5								
2.5+2.5+2.5+2.5+2.8	12.8								
2.5+2.5+2.5+2.5+3.2	13.2								
2.5+2.5+2.5+2.5+4.0	14.0								
2.5+2.5+2.5+2.5+5.0	15.0								
2.5+2.5+2.5+2.5+6.0	16.0								
2.5+2.5+2.5+2.5+7.0	17.0								
2.5+2.5+2.5+2.8+2.8	13.1								
2.5+2.5+2.5+2.8+3.2	13.5								
2.5+2.5+2.5+2.8+4.0	14.3								
2.5+2.5+2.5+2.8+5.0	15.3								
2.5+2.5+2.5+2.8+6.0	16.3								
2.5+2.5+2.5+2.8+7.0	17.3								
2.5+2.5+2.5+3.2+3.2	13.9								
2.5+2.5+2.5+3.2+4.0	14.7								
2.5+2.5+2.5+3.2+5.0	15.7								
2.5+2.5+2.5+3.2+6.0	16.7								
2.5+2.5+2.5+4.0+4.0	15.5								
2.5+2.5+2.5+4.0+5.0	16.5								
2.5+2.5+2.5+4.0+6.0	17.5								
2.5+2.5+2.5+5.0+5.0	17.5								
2.5+2.5+2.8+2.8+2.8	13.4								
2.5+2.5+2.8+2.8+3.2	13.8								
2.5+2.5+2.8+2.8+4.0	14.6								
2.5+2.5+2.8+2.8+5.0	15.6								
2.5+2.5+2.8+2.8+6.0	16.6								
2.5+2.5+2.8+3.2+3.2	14.2								
2.5+2.5+2.8+3.2+4.0	15.0								
2.5+2.5+2.8+3.2+5.0	16.0								
2.5+2.5+2.8+3.2+6.0	17.0								
2.5+2.5+2.8+4.0+4.0	15.8								
2.5+2.5+2.8+4.0+5.0	16.8								
2.5+2.5+3.2+3.2+3.2	14.6								
2.5+2.5+3.2+3.2+4.0	15.4								
2.5+2.5+3.2+3.2+5.0	16.4								
2.5+2.5+3.2+3.2+6.0	17.4								
2.5+2.5+3.2+4.0+4.0	16.2								
2.5+2.5+3.2+4.0+5.0	17.2								

5 Room		4 Room		3 Room		2 Room		1 Room	
Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)	Indoor Unit Capacity (kW)	Total Indoor Capacity (kW)
2.5+2.5+4.0+4.0+4.0	17.0								
2.5+2.8+2.8+2.8+2.8	13.7								
2.5+2.8+2.8+2.8+3.2	14.1								
2.5+2.8+2.8+2.8+4.0	14.9								
2.5+2.8+2.8+2.8+5.0	15.9								
2.5+2.8+2.8+2.8+6.0	16.9								
2.5+2.8+2.8+3.2+3.2	14.5								
2.5+2.8+2.8+3.2+4.0	15.3								
2.5+2.8+2.8+3.2+5.0	16.3								
2.5+2.8+2.8+3.2+6.0	17.3								
2.5+2.8+2.8+4.0+4.0	16.1								
2.5+2.8+2.8+4.0+5.0	17.1								
2.5+2.8+3.2+3.2+3.2	14.9								
2.5+2.8+3.2+3.2+4.0	15.7								
2.5+2.8+3.2+3.2+5.0	16.7								
2.5+2.8+3.2+4.0+4.0	16.5								
2.5+2.8+3.2+4.0+5.0	17.5								
2.5+2.8+4.0+4.0+4.0	17.3								
2.5+3.2+3.2+3.2+3.2	15.3								
2.5+3.2+3.2+3.2+4.0	16.1								
2.5+3.2+3.2+3.2+5.0	17.1								
2.5+3.2+3.2+4.0+4.0	16.9								
2.8+2.8+2.8+2.8+2.8	14.0								
2.8+2.8+2.8+2.8+3.2	14.4								
2.8+2.8+2.8+2.8+4.0	15.2								
2.8+2.8+2.8+2.8+5.0	16.2								
2.8+2.8+2.8+2.8+6.0	17.2								
2.8+2.8+2.8+3.2+3.2	14.8								
2.8+2.8+2.8+3.2+4.0	15.6								
2.8+2.8+2.8+3.2+5.0	16.6								
2.8+2.8+2.8+4.0+4.0	16.4								
2.8+2.8+2.8+4.0+5.0	17.4								
2.8+2.8+3.2+3.2+3.2	15.2								
2.8+2.8+3.2+3.2+4.0	16.0								
2.8+2.8+3.2+3.2+5.0	17.0								
2.8+2.8+3.2+4.0+4.0	16.8								
2.8+3.2+3.2+3.2+3.2	15.6								
2.8+3.2+3.2+3.2+4.0	16.4								
2.8+3.2+3.2+3.2+5.0	17.4								
2.8+3.2+3.2+4.0+4.0	17.2								
3.2+3.2+3.2+3.2+3.2	16.0								
3.2+3.2+3.2+3.2+4.0	16.8								

3. Wiring Connection Diagram

3.1 Indoor Unit

